



AC Profile Statistics

Last Updated: June 30, 2015

Data Information

1.1 - Records Uploaded to Backstage

92% Website
8% FTP
69% MARC-8
31% UTF-8

1.2 - Records Delivered by Backstage

94% Website
6% FTP
67% MARC-8
33% UTF-8

Validation Options

2.1 - 010, 020, 022, 034 Fields

93% Yes

2.2 - Leader & Fixed Field Updates

92% Yes

2.3 - Field Updates & Deletes

91% Yes

2.4 - Subfield Updates & Deletes

92% Yes

2.5 - Indicator Updates

93% Yes

2.6 - Field Conversions & Additions

91% Yes

2.7 - Initial Articles

93% Yes

2.8 - GMD Standardization

65% AACR2 standard terms table
1% Common practice terms table
6% Custom GMD list
65% Add brackets - \$h [GMD term]
1% Remove brackets - \$h GMD term

Authority Matching

3.1 - Generic Name Headings

75% Yes - match & flip

3.2 - Tag Flipping

98% Match & flip X00, X10, X11
100% Match & flip X50, X51
100% Match & flip X50 against any 6XX

3.3 - Partial Matches

87% Change 2nd indicators for partial matches

3.4 - Split Headings

93% Split out singular headings from matches

3.5 - Series Processing

- 80% Convert 4XX/8XX to 490-0 or 490-1/8XX
- 12% Revert back to 440 if 490/830 identical
- 2% Copy all 4XX to 8XX
- 7% Custom series processing
- 4% None - do not process series

3.7 - Children's Subject Matching (6xx-1)

- 41% Ignore Children's headings
- 17% Children's 1st, LC Adult 2nd
- 8% Children's only
- 13% Remove unmatched headings
- 14% Add Juvenile form subdivisions

3.8 - MeSH Matching (6xx-2)

- 39% Ignore MeSH headings
- 13% MeSH 1st, LC 2nd
- 12% MeSH only
- 7% Remove unmatched headings
- 1% Split \$v/\$x into separate fields

3.9 - Canadian Matching (6xx-5)

- 46% Ignore Canadian headings
- 4% Canadian 1st, LC 2nd
- 5% Canadian only
- 9% Remove unmatched headings

3.10 - Local Subject Matching (6xx-4)

- 62% Ignore local subject headings
- 29% 6XX-4 against LC
- 2% Remove unmatched headings

3.11 - Genre Form Matching (655 fields)

- 98% LCGFT
- 44% GSAFD
- 8% RBMS
- 1% FAST
- 4% Option 1: Change \$v, create 655
- 0% Option 2: Change \$v, do not create 655
- 1% Option 3: Keep \$v, create 655

3.12 - Local Fields in Authority Records

- 21% Retain local notes in authorities (\$5 code)

3.13 - Local Authority Master

- 8% Match before national file
- 8% Match after national file

3.6 - Subdivision Updates

- 73% Preserve existing \$v subdivisions
- 81% Update \$x subdivisions to \$v

- 6% Remove Children's headings
- 4% LC Adult 1st, Children's 2nd
- 27% LC Adult only
- 45% Change 2nd ind to 0

- 19% Remove MeSH headings
- 3% LC 1st, MeSH 2nd
- 14% LC only
- 30% Change 2nd ind to 0
- 8% Copy 001 to 010 field

- 26% Remove Canadian headings
- 1% LC 1st, Canadian 2nd
- 18% LC only
- 23% Change 2nd ind to 0

- 1% Remove local subject headings
- 19% 69X against LC
- 32% Change 2nd ind to 0

- 17% AAT
- 17% MeSH
- 6% TGM

File Output

4.1 - Bibliographic File Output

53% All bib records returned

13% Max number of bibs

43% Changed only bibs returned

4% No bibs returned

4.2 - Backstage Change Stamp

21% (040) Add to all records

51% (040) Add to changed records

17% (9XX) Add to all records

13% (9XX) Add to changed records

13% (005) Add to all records

44% (005) Add to changed records

4.3 - Authority Segmentation by Type

79% (cmb) LC

15% (cmb) Children's

9% (cmb) MeSH

4% (cmb) Canadian

3% (cmb) Brief

21% (sep) LC

12% (sep) Children's

16% (sep) MeSH

2% (sep) Canadian

13% Max number of authorities

4.4 - Authority Segmentation by Usage

42% (cmb) Names

42% (cmb) Series

49% (cmb) Subjects

41% (cmb) Titles

31% (cmb) Genre

42% (sep) Names

25% (sep) Series

58% (sep) Subjects

14% (sep) Titles

23% (sep) Genre

4.5 - Record Selection Criteria

92% All authorities

7% 260 field

7% 360 field

7% 4XX field

7% 5XX field

7% 6XX field

4.6 - Hierarchy

97% All levels of hierarchy authority matches

2% Full heading string matches only

4.7 - Authority Record Cleanup

26% Remove all 9XX fields

38% Delete ending punctuation

36% Change 2nd ind from 0 to blank in 1XX fields